


Glazed Porcelain Tiles







Square One is defined as the starting point – the first stage of a journey.

This Atlas Concorde USA glazed porcelain tile series provides
a value-based alternative for your residential and light commercial projects,
while maintaining the versatile beauty and quality of Italian design.

Where will you venture first with your kitchen or bath project?



SQUARE 1

Glazed porcelain tiles

Concrete Look

Road



White



lvory



Gray



Black

Marble Look

Odyssey



Odyssey

Stone Look

Canyon





Edge



Light



Gray

Wood Look

Artisan



Wild




Sizes



 $11^{3}/_{4}$ "x $23^{5}/_{8}$ " **¥**8 mm

Mosaics & Decors




Coordinating Trims



Sizes

Light




Tan

Dark

 $7^{3}/_{4}$ "x $39^{3}/_{8}$ " **₹**8 mm








Road Ivory


A perfectly balanced warm tone, Road Ivory brings harmony



Road Ivory 11^{3/4}"x 23^{5/8}"



Road Gray








Road Black 11^{3/4}"x 23^{5/8}"

Road Black

A dark, moody black color, Road Black offers a sophisticated look perfect for commercial or residential spaces.







Odyssey 11^{3/4}″x 23^{5/8}″

Odyssey

Begin your design adventure with this porcelain tile inspired by refined, Greek marble.

The light variations of white and gray give any room a classic look.






Canyon White

This white, directional veined, marble look invokes a timeless beauty. From picturesque walls to breathtaking floors, Canyon is a natural wonder.













The beauty of this porcelain tile runs deep. It is inspired by Mediterranean marble with an elegant, striped appearance and taupe color.




Edge Light

Push your vision to the limit with this brightly colored look inspired by fine sandstone. Play with the different directional graphics to make the space your own.




Edge Light 11^{3/4}"x 23^{5/8}"





Edge Gray

Begin your next project with this directional, sandstone look. Experience a light gray background, narrow linear veins, and a shade variation from light taupe to dark gray.





Edge Gray 11^{3/4}"x 23^{5/8}"



Artisan Light

Elevate your space with Artisan Light. This tile captures the essence of light, whitewashed wood, providing a bright and airy feel while delivering the durability and easy maintenance of porcelain.



Artisan Light 7^{3/4}″x 39^{3/8}″



Artisan Tan

Experience the warmth of Artisan Tan. Featuring a honey-toned oak finish, this tile brings the cozy, inviting look of natural wood to any room with the added benefits of porcelain's resilience.





Artisan Tan 7^{3/4}"x 39^{3/8}"





Artisan Dark 7^{3/4}"x 39^{3/8}"



27

Artisan Dark


Transform your home with Artisan Dark. This rich, dark walnut tile beautifully replicates the texture and depth of real wood, offering a sophisticated and durable solution for your flooring needs.



Wild White 7^{3/4}"x 39^{3/8}"

Wild White

Embrace the purity of nature with Wild White. Capturing the essence of untouched wood, these tiles boast a striking grain pattern, adding a touch of wilderness to any space.






Wild Beige - Wild Brown

Experience the warmth of the forest floor with Wild Beige. Featuring a rich grain pattern reminiscent of untamed wood, these tiles bring a natural, earthy charm to your interior design.

Infuse your space with the rugged elegance of the outdoors with Wild Brown.

Crafted to mimic the organic beauty of wood, these tiles offer durability and style, creating a timeless, nature-inspired ambiance in any room.









Wild Brown 7^{3/4}"x 39^{3/8}"

Matte ★ 8 mm DCOF ≥ 0.42 Wet Interior Wet (IW)



Wall

33

Glazed porcelain tiles

Floor

Floor Wall MATTE

Concrete Look

Road

MATTE -




V2 slight variation



Road White 11^{3/4}"x23^{5/8}" 610010005390













Road Ivory 11^{3/4}"x23^{5/8}" 610010005391







Road Black 11^{3/4}"x23^{5/8}" 610010005393









35

V3 moderate variation

Glazed porcelain tiles

Wall MATTE Floor

MATTE Floor Wall

Marble Look

Odyssey



V2 slight variation



Stone Look

Canyon

Canyon White 11^{3/4}"x23^{5/8}" 610010004501







Odyssey 11^{3/4}"x23^{5/8}" 610010004500







Canyon Taupe 11^{3/4}"×23^{5/8}" 610010004502





Matte ★ 8 mm DCOF ≥ 0.42 Wet Interior Wet (IW) Interior Wet (IW)



Wall

Glazed porcelain tiles

MATTE Floor MATTE

Floor Wall

Odyssey Mosaic 11^{3/4}"x11^{3/4}" 610110000671

37

Stone Look

Edge





Edge Light 11^{3/4}"x23^{5/8}" 610010004503







Edge Gray 11^{3/4}"x23^{5/8}" 610010004504





MOSAICS & DECORS



Road White Mosaic 11^{3/4}″x11^{3/4}″ (Mosaic 2″x2″) 610110001075



Canyon White Mosaic 11^{3/4}"×11^{3/4}" 610110000672



Road Ivory Mosaic 11^{3/4}"x11^{3/4}" (Mosaic 2"x2") 610110001076



Canyon Taupe Mosaic 11^{3/4}"x11^{3/4}" 610110000673



Road Gray Mosaic 11^{3/4}"x11^{3/4}" (Mosaic 2"x2") 610110001077



Edge Light Mosaic 11^{3/4}"×11^{3/4}" 610110000674



Road Black Mosaic 11^{3/4}"×11^{3/4}" (Mosaic 2"×2") 610110001078




Edge Gray Mosaic 11^{3/4}"×11^{3/4}" 610110000675

COORDINATING TRIMS

Bullnose

	Road White	610130006199
10/35	Road Ivory	610130006200
200	Road Gray	610130006201
	Road Black	610130006202
	Odyssey	610130006000
	Canyon White	610130006001
	Canyon Taupe	610130006002
	Edge Light	610130006003
	Edge Gray	610130006004



Matte ★ 8 mm DCOF ≥ 0.42 Wet Interior Wet (IW)

39

Glazed porcelain tiles

MATTE Floor Wall

Floor Wall MATTE

Wood Look

Artisan



V4 substantial variation







Matte ★ 8 mm DCOF ≥ 0.42 Wet Interior Wet (IW)



Glazed porcelain tiles

MATTE Floor Wall

Floor Wall MATTE

Wood Look

Wild



V4 substantial variation









Size $11^3/_4$ " x $23^5/_8$ " $7^3/_4$ " x $39^3/_8$ "

Thickness ∡ 8 mm

Finish Matte







V4 SUBSTANTIAL VARIATION

Field tiles	Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Edge	
	12" x 24"	11 ³ / ₄ " x 23 ⁵ / ₈ "	8 mm	Matte	Calibrated	
	8" x 40"	11 ³ / ₄ " x 23 ⁵ / ₈ "	8 mm	Matte	Calibrated	
Mosaics and coordinating trims	Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Please refer to caliber cha for working size. Close jo are not recommended.	
3	Mosaic 2" x 2"	11 ³ / ₄ " x 11 ³ / ₄ "	8 mm	Matte		
	Bullnose 3" x 24"	2 ⁷ / ₈ " x 23 ⁵ / ₈ "	8 mm	Matte	are not recommended.	

				Require		
		Property	Test Method	Calibrated	Rectified	
Regularity characteristics	Nominal Size		±3.00%	-3.00% ÷ +2.00%	Compliant	
	(25)	Caliber Range	ASTM C499	±0.50% or ±0.08 in (±2.0 mm)	±0.25% or ±0.03 in (±0.8 mm)	Compliant
		Thickness (1)		Range: 0.04 in (1.02 mm)		Compliant
		Wedging	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	±0.25% or ±0.03 in (±0.8 mm)	Compliant
(£		Warpage Edge	A OTA 4 O 405	±0.75% or ±0.09 in (±2.3 mm) (*)	±0.40%	Compliant
		Warpage Diagonal ASTI	ASTM C485	±0.50% or ±0.08 in (±2.0 mm)	±0.40% or ±0.07 in (±1.8 mm)	Compliant
Structural characteristics		Water Absorption	ASTM C373	≤ 0.5%		≤ 0.5%
Bulk mechanical characteristics	Breaking Strength	ASTM C648	Average ≥ 250 lbf. (1.11 kN) Individual ≥ 225 lbf. (1.00 kN)		≥ 350 lbf. avg	
		Modulus of Rupture	ASTM C1505	R ≥ 35 N/mm²		
Physical properties		Bond Strength	ASTM C482	≥ 50 psi. (0.34 Mpa)		≥ 100 psi.
Thermal and hygrometric		Resistance to Freeze/ Thaw Cycling	ASTM C1026	As Reported		Resistant
characteristics	*	Thermal Shock Resistance	ASTM C484	As Reported		Resistant
Chemical characteristics		Chemical Resistance	ASTM C650	As Reported		Unaffected
		Stain Resistance	ASTM C1378	As Reported		Unaffected
Safety characteristics		Dynamic Coefficient of Friction (DCOF)	ANSI A326.3	As Reported		≥ 0.42 Wet Interior Wet (IW) (2)

^(*) Whichever is less

For more details please see the catalogue or visit atlasconcordeusa.com The Health Product Declaration® logo is a registered trademark of HPD Collaborative.



















⁽¹⁾ Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).

⁽²⁾ DCOF 20.42 Wet may not be a requirement for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations. For updated manufacturer classification according to ANSI A326.3. Section 4 - "Product Use Categories", please refer to our website.